

VF-2S -Ultracompact high pressure dust collector-



We Amano Singapore will provide you cost effective quality products, solutions and services coupled with comprehensive after-sale support that meet the needs of the market.



Mold filter



Manual shaking



General dry dust



Max. static
pressure



Max. airflow

Features:

- Continuous operation for 24 hours
- Ultra-compact design
- High static pressure 20kPa
- Energy saving
- "Smallest unit of dust collector"



- **Mold cartridge filter**



Material: Polyester
 Surface treatment: –
 Corresponding models: VF-2S
 Application: General dried particles (particle diameter about 10μm)

Option: Finfill, Antistatic, and Finfill + antistatic

If you are looking for dust collector like vacuum cleaner with strong static pressure and durable enough for 24 h operation, Must choose VF-2S.


Strong

20 kPa High Static Pressure



Small

395x342x399mm
Compact Size



Durable

24H operation with
Brushless Blower
Motor



Eco

MPC system
allow adjust
airflow volume
with situation



VF-2S




Strong suction and 24H operation

- Strong



It has a strong suction power that is about 7 times that of standard dust collector.
Lift the bowling ball!


- Small




- CO Energy-Saving



MPC system "Energy-Saving Mode" normally operates at the set high Air Flow, but when it is Idling time energy-saving function that cuts excess power.




- Various Options



- Application



- External View



- Specifications

Particular	Unit	VF-2S(3PHASE)	VF-2S(1PHASE)
Power Supply	Volt	220	100
Frequency	Hz	60	60
Phase		3P	1P
Output	kw/hp	1.0/1.3	1.0/1.3
Max Airflow	m ³ /min	2.7	2.5
Max. Static Pressure	kPa	20	17
Filter Area	m ²	0.67	0.67
Suction Port Ø	mm	50	50
Dimension (WxDxH)	mm	395x342x399	395x342x399
Weight	kg	26	29